



# EYE CONTOUR REFRESH V1

SKC92.13.03 for VIVAPUR® CS 032 XV Anti-Wrinkle Study!

Phase	Product Name	INCI	Functions	%
A	Demineralized Water	Aqua		81.2
	Rheocare™ C Plus	Carbomer	Humectant	0.2
	Cosmedia® SP	Sodium Polyacrylate	Thickener	0.5
	Eumulgin® Prisma	Disodium Cetearyl Sulfosuccinate	Thickener	0.5
	Cetiol® Sensoft	Propylheptyl Caprylate	Emulsifier O/W	7.0
	Cetiol® RLF	Caprylyl Caprylate/Caprates	Emollient	5.0
B	NaOH (a.s. 25%)	Sodium Hydroxide	Emollient	0.6
	Glycerine (AMI)	Glycerin	pH adjustment	3.0
	Preservative	Preservative	Preservative	Qsp
	<b>VIVAPUR® CS 4 FM</b>	<b>Microcrystalline Cellulose</b>	<b>Smoothing Powder</b>	<b>2.0</b>
	<b>VITACEL® CS 5 Apple</b>	<b>Pyrus Malus Fiber</b>		<b>2.0</b>
	<b>VITACEL® CS 5 Apple</b>	<b>Avena Sativa (Oat) Bran</b>		<b>2.0</b>
<b>VITACEL® CS 7 Orange</b>	<b>Citrus Aurantium Dulcis (Orange) Peel Extract</b>	<b>2.0</b>		

Formulated by AMI CHIMIE, France

### Process

Mix phase A with stirring until homogenization (600rpm).

Heat phases A and C at 80 °C.

Disperse phase B in phase A with stirring (20-30 min - 1200rpm).

Make the emulsion, add phase C in A+B with high stirring.

Cool the emulsion.

At 35 °C, add phase D, then the ingredients of phase E one by one.

..... [www.jrspersonalcare.com](http://www.jrspersonalcare.com)